

# UTILITY PATENT APPLICATION TRANSMITTAL UNDER 37 C.F.R. §1.53(b)

ASSISTANT COMMISSIONER FOR PATENTS 3885 U.S. PTO

Box PATENT APPLICATION

Washington D.C. 20231

Sir:

Transmitted herewith for filing is the patent application of

INVENTOR OR APPLICATION IDENTIFIER: Jin Soo LEE, Kyoung Ro YOON

FOR: USER PROFILE INFORMATION DATA STRUCTURE BASED ON USER PREFERENCE AND

MULTIMEDIA DATA BROWSING SYSTEM USING THE SAME

Enclosed are:

1. [X] 17 pages of specification, claims, abstract
2. [X] 8 sheets of FORMAL drawing.
3. [X] 2 pages of newly executed Declaration & Power of Attorney (original).
4. [X] Priority Claimed to Korean Appln. No. 41137/1999 filed on September 22, 1999, whose entire disclosure is incorporated herein by reference.
5. [ ] Small Entity Statement.
6. [ ] Information Disclosure Statement, Form PTO-1449 and reference.
7. [X] Assignment Papers for LG Electronics Inc. (cover sheet, assignment & assignment fee).
8. [ ] Certified copy of Korean Patent Application No. \_\_\_\_\_.
9. [X] Two (2) return postcards.  
[X] Stamp & Return with Courier.  
[X] Prepaid Postcard-Stamped Filing Date & Returned with Unofficial Serial Number.
10. [X] Authorization under 37 C.F.R. §1.136(a)(3).
11. [X] Other: Preliminary Amendment

## CLAIMS AS FILED

For	No. Filed		No. Extra	Rate	Fee
Total Claims	12	- 20	0	X \$18.00	\$0.00
Indep. Claims	2	- 3	0	X \$78.00	\$0.00
Multiple Dependent Claims (If applicable)				X \$260.00	\$0.00
				BASIC FEE	\$690.00
				TOTAL FILING FEE	\$690.00

[ ] This is a Continuation-in-part (CIP) of prior application No: \_\_\_\_\_ filed \_\_\_\_\_. Incorporation By Reference-The entire disclosure of the prior application is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein.

[ ] Amend the specification by inserting before the first line the sentence:

--This application is a continuation-in-part of Application Serial No. \_\_\_\_\_ filed \_\_\_\_\_.--

[X] A check in the amount of \$690.00 Check # 9439 is attached.

[ ] Please charge my Deposit Account No. 16-0607 in the amount of \$\_. A duplicate copy of this sheet is enclosed.

[X] The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 16-0607. A duplicate copy is enclosed.

[X] Any additional filing fees required under 37 C.F.R. 1.16.

[X] The Commissioner is hereby authorized to charge payment of following fees during the pendency of this application or credit any overpayment to Deposit Account No. 16-0607. A duplicate copy of this sheet is enclosed.

[X] Any patent application processing fees under 37 C.F.R. 1.17.

[X] Any filing fees under 37 C.F.R. 1.16 for presentation of extra claims.

FLESHNER & KIM, LLP

Daniel Y.J. Kim  
Registration No. 36,186

Correspondence Address Below:

P.O. Box 221200

Chantilly, VA 20153-1200

(703) 502-9440 DYK/pld

Date: September 21, 2000

Docket No.: P-128

PATENT

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

In re Application of :

Jin Soo LEE, Kyoung Ro YOON

New U.S. Patent Application :

Filed: September 21, 2000 :

For: USER PROFILE INFORMATION DATA STRUCTURE BASED ON  
USER PREFERENCE AND MULTIMEDIA DATA BROWSING  
SYSTEM USING THE SAME

**PRELIMINARY AMENDMENT**

Assistant Commissioner for Patents  
Washington, D. C. 20231

Sir:

Prior to initial examination on the merits, please amend the above-identified application as follows:

**IN THE CLAIMS:**

**Please amend claims 5 and 9 as follows:**

Claim 5, line 1, Delete "or 4"


Claim 9, line 1 Delete "or 8"

REMARKS

Claims 1-12 are pending. Claims five and nine have been amended to eliminate the multiple dependency. Prompt examination and allowance in due course are respectfully solicited.

Respectfully submitted,  
FLESHNER & KIM, LLP

Daniel Y.J. Kim  
Registration No. 36,186



P.O. Box 221200  
Chantilly, VA 20153-1200  
703 502-9440 DYK/pld  
Date: September 21, 2000

USER PROFILE INFORMATION DATA STRUCTURE BASED ON USER  
PREFERENCE AND MULTIMEDIA DATA BROWSING SYSTEM USING THE  
SAME

5 BACKGROUND OF THE INVENTION

1. Field of the Invention

10 The present invention relates to an user profile information data structure  
for browsing of multimedia data and a multimedia browsing method using the  
same, and more particularly, to a content-based multimedia data indexing and  
browsing system in which an user-preferred browsing method is contained in an  
user profile, and multimedia browsing based on user preference is provided using  
an user-preferred browsing information contained in this profile, in implementing  
multimedia data browsing.

15 2. Description of the Background Art

In multimedia data indexing and browsing in the conventional art, there  
have been introduced techniques for variously displaying multimedia data based  
on user preference.

20 In internet shopping by using of a multimedia data indexing and browsing  
system based on user preference, there is a method of selecting only preferred  
items stored in an user profile by each user and displaying each product in a  
different way, not displaying all information items used in the internet shopping.

For example, in the case that some user mainly uses price and specification  
25 information, some user mainly uses design information, and some user mainly

uses product information of a certain particular company in checking electronic products through the internet shopping, each user is given the above preferred information as its own user profile. In case that an user mainly uses price and specification in this preferred information, merely the information containing only price and specification is displayed to the user although other information such as photographs is provided by the user. And, in case of an user who prefers design information, design(photograph) information is mainly displayed. In this way, the information appropriate for the preference of each user is displayed.

In addition, there have been introduced techniques for providing a terminal desk-top interface such as a computer to an user in an user-desired form in a multimedia indexing and browsing system based on user preference in the conventional art.

In other words, the terminal desk-top interface that the corresponding user prefers (or designates) is recorded in its user profile, and then the form of the interface stored in the corresponding user profile is provided to the user.

Besides, there have been techniques for supporting help information in the form that user prefers using the recorded usage pattern of user in another conventional art.

The above-mentioned techniques considering user preference(use pattern) in the conventional art all reflects partial user preference in the current restricted application.

Nowadays, the content description is described in the data for supporting the content-based multimedia indexing/browsing. In the case the various browsing method are possible, so if there is the information describing user preference, user can browse multimedia data in the preferred browsing method using preferred

browser.

In other words, among a variety of browsers for performing content-based multimedia data indexing and browsing, there may be browsers that is particularly preferred, or browsers that is preferred by the type of multimedia data to the user.

5 However, since the maintenance and management of such data is not achieved, the user cannot enjoy his or her right to various selection, but also must be satisfied with parts of the browsers restrictively provided in a given environment.

## SUMMARY OF THE INVENTION

10 Accordingly, it is an object of the present invention to provide a user profile information structure in which multimedia data indexing and browsing can be implemented in an user-preferred browsing form, and a multimedia data browsing method using the same.

15 It is another object of the present invention to provide an user profile information structure in which an user-preferred browsing method is contained, for displaying the multimedia data in an user preferred form, and a multimedia data browsing method using the same, in implementing multimedia data indexing and browsing.

20 It is another object of the present invention to provide an user profile information structure in which an user-preferred browsing method is checked from an user profile, and an application(or browser) is designated according to user preference if there are plurality of applications providing the corresponding browsing method, or an application satisfying the corresponding service is  
25 downloaded from other designated place and is provided to the user if there is not

such an application, and a multimedia data browsing method using the same."

To achieve the above objects, in content-based multimedia data browsing, there is provided an user profile information structure according to the present invention, which includes an user-preferred application description scheme for  
5 browsing in an user profile, in order to provide an user-preferred multimedia browsing method.

In addition, the user-preferred application description scheme stored in the user profile is an application ID, or application locator.

In addition, the application description scheme stored in the above user  
10 profile further includes a layout description scheme of an application.

In addition, the number of user-preferred application description schemes stored in the user profile may be plural, and each of the application description schemes further includes a weight describing user preference.

In addition, the user-preferred application description schemes stored in  
15 the user profile are different from one another according to the type(genre) of a multimedia data object, each of the application description schemes is structured hierarchically, and the part of the application description scheme having a weight describing scheme based on user preference.

To achieve the above objects of the present invention, in contents-  
20 based multimedia data browsing, there is provided a multimedia data browsing method according to the present invention which is characterized in that: (a) multimedia data contains a contents description scheme for indexing/browsing multimedia data; (b) an user profile includes an user preference description scheme indicating an user-preferred multimedia browsing method or browsing  
25 criterion as an application description scheme for user-preferred browsing; and (c)

multimedia data is browsed based on the user-preferred application description scheme for user-preferred browsing in a corresponding user profile, if the user desires multimedia browsing. In addition, in the multimedia data browsing method of the present invention, the user-preferred multimedia data browsing method or browsing criterion are described differently according to the type or genre of multimedia data, and a multimedia data is browsed based on the description scheme describing each user-preferred browsing method or browsing criterion.

In addition, in the multimedia data browsing method of the present invention, the user-preferred multimedia browsing method or browsing criterion is a character-oriented browsing, character/place relation-oriented browsing, time sequential and scene-oriented browsing, or combination thereof.

In addition, in the multimedia data browsing method of the present invention, the number of browsing method or browsing criterion described differently according to the type of multimedia data may be one or plural with respect to one type(genre) thereof, and weighted values can be added on these browsing methods or browsing criteria.

In addition, in the multimedia data browsing method of the present invention, if there is no application satisfying the user-preferred multimedia browsing method or browsing criterion in the current terminal, in displaying the corresponding multimedia data, such an application is downloaded(or plugged-in) for thereby implementing the same.

In addition, in the multimedia data browsing method of the present invention, if there are a plurality of applications satisfying the user-preferred multimedia browsing method or browsing criterion in the current terminal, in



displaying the corresponding multimedia object based on the user-preferred multimedia browsing method or browsing criterion, a locator of an application or browser is included so as to select an appropriate application among the plurality of applications, and the multimedia object is displayed by selecting the application indicated by the locator of the application or browser.

Additional advantages, objects and features of the invention will become more apparent from the description which follows.

#### BRIEF DESCRIPTION OF THE DRAWINGS

The present invention will become better understood with reference to the accompanying drawings which are given only by way of illustration and thus are not limitative of the present invention, wherein:

Figure 1 is a schematic view illustrating the construction of a multimedia system according to the present invention;

Figure 2 is a view illustrating an example of a contents description scheme structure of a multimedia object according to the present invention;

Figure 3 is a view illustrating an user profile information data structure according to a first embodiment of the present invention;

Figure 4 is a view illustrating an user profile information data structure according to a second embodiment of the present invention;

Figure 5 is a view illustrating a preference description scheme in an user profile information data structure according to the present invention;

Figure 6 is a view illustrating an example of a browsing based on user preference;

Figure 7 is a view illustrating another example of a preference description scheme in an user profile information data structure according to the present invention; and

Figure 8 is a view illustrating another example of a browsing based on user preference.

## DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

The preferred embodiments of the present invention will now be described in detail with reference to the accompanying drawings.

First, Figure 1 is a schematic view illustrating an example of the construction of a multimedia data service system according to the present invention;

A multimedia object 101 has a contents description 101a for content-based indexing/browsing and a data stream 101b.

A terminal 102 includes a central processing unit 103 for performing content-based multimedia indexing and browsing control, a memory 104 for storing a variety of data, a display device 105 for displaying various information relating to multimedia data indexing and browsing, an user profile reader 106 for reading user profile information, and an user profile.

Here, the user profile reader 106 can have the function of a writer for updating information recorded in the user profile 107 based on the feedback of an user.

In addition, the user profile 107 can be a movable medium capable of recording and storing information in the form of a smart card.

In addition, an user-preferred browsing method or browsing criterion is

described in the user profile 107, and such information can be updated by learning.

The information contained in the user profile 107 is read out from the user profile reader 106, and is downloaded to the memory 104.

The central processing unit 103 decodes the user profile information  
5 downloaded to the memory 104 to thus browse the multimedia object 101 using the corresponding display device 105 by the user-preferred browsing method or browsing criterion.

Figure 2 is a view illustrating an example of a contents description scheme structure of a multimedia object for content-based indexing/browsing according to  
10 the present invention.

The contents description scheme structure has an audio visual description scheme 201 including a syntactic DS 202 and a semantic DS 203. The syntactic DS 202 includes a segment DS 204, region DS 205, and segment/region relational graph DS 206. The semantic DS 203 includes an event DS 207, object DS 208,  
15 and event/object relational graph DS 209.

The syntactic DS 202 describes a physical structure of actual multimedia data, and has segments and regions of the actual multimedia data and information on the relation(link) between them, thus making it possible to index and browse a corresponding section or scene of the multimedia data.

20 The semantic DS 203 describes a semantic structure of multimedia data. In case of a multimedia data, for example, moving pictures such as drama, events, objects(characters, places, etc.), and the relation between events and characters or places are described, thus enabling content-based indexing and browsing of multimedia data.

25 The description scheme structure of the multimedia data for content-based multimedia data indexing and browsing is not limited to that as shown in Figure 2,

and can be varied in various forms for the purpose of more effective browsing.

Figure 3 is a view illustrating an user profile information data structure for content-based multimedia data browsing according to a first embodiment of the present invention;

5       The user profile information data structure has a data browsing DS 301 including data type DS 302 and a browsing preference DS 303. Such a data browsing DS structure can be given by the type or genre of each multimedia object.

The browsing preference DS 303 corresponds to the data type DS 302.

10       The browsing preference DS 303 includes a browser DS 308 as an application DS satisfying user preference and a functionality DS 304 for describing a browsing method or browsing criterion.

15       The functionality DS 304 for describing a browsing method or browsing criterion has a reference to browser DS 305 for connecting a corresponding browser, a function DS 306 for selecting a browser, and a weight DS 307 for describing a corresponding weight value.

The application DS 308 has a weight DS 309, locator DS 310, and reference to functionality DS 311 for reference to a description scheme for describing a browsing method or standard.

20       Therefore, by means of the user profile relating to such a user-preferred browsing method(or browsing criterion), it is possible to display a certain particular multimedia data by the user-preferred browsing method or standard in a system of Figures 1 and 2.

25       In other words, when an user displays a multimedia data based on the user profile information, a corresponding application(browser) satisfying description schemes 304 through 307 for describing the user-preferred browsing method or

standard for the corresponding data, or having been described in the application description schemes 308 through 311 is indexed in the terminal.

If the corresponding application exists in the terminal, multimedia data is displayed using the same, or if it does not exist in the terminal, the corresponding application is downloaded using the locator DS 310.

In addition, the number of application(browser) included in the application DS is one or more than one. If the number of application is plural, an user-preferred application is employed using the weight DS 309 which is learned based on user preference(user feedback/user's usage pattern of a certain particular browser) for each application.

Figure 4 is a view illustrating an user profile information data structure for content-based multimedia browsing according to a second embodiment of the present invention, which is formed by further including a layout description scheme of a browser in addition to the structure as described in Figure 3. In this case, the user can describe preference on a browser according to a certain particular type of multimedia data, but also can describe layout preference DS of the corresponding browser.

As illustrated in Figure 4, the user profile information data structure has a data browsing DS 401 including a data type DS 402 and a browsing preference DS 403. Such a data browsing DS structure can be given by the type or genre of each multimedia data.

The browsing preference DS 403 corresponds to the data type DS 402.

The browsing preference DS 403 includes a browser DS 408 as an application DS satisfying user preference, a functionality DS 404 for describing a browsing method or browsing criterion, and a layout DS 413 of the browser.

The functionality DS 404 for describing a browsing method or browsing

criterion has a reference to browser DS 405 for reference to a corresponding browser, a function DS 406 for selecting a browser, and a weight DS 407 for describing a corresponding weight value.

The application DS 408 has a weight DS 409, locator DS 410, reference to  
5 functionality DS 411 for reference to a description scheme for describing a browsing method or standard, and reference to layout DS 412 for layout..

The layout DS 413 has a weight DS 414 for the layout and a reference to browser DS 416 for reference to the browser.

Therefore, by means of the user profile relating to such a user-preferred  
10 browsing method(or browsing criterion), it is possible to display a certain particular multimedia data by the user-preferred browsing method or standard in a system of Figures 1 and 2. In addition, the layout preference DS of the corresponding browser can be described.

In other words, when an user displays a multimedia data based on the user  
15 profile information, a corresponding application(browser) satisfying description schemes 404 through 407 for describing the user-preferred browsing method or standard for the corresponding object, or having been described in the application description schemes 408 through 411 is indexed in the terminal.

At this time, an user-preferred layout of the browser is displayed using the  
20 layout DS 413 through 416 and the reference to layout DS 412 in the browser DS.

If the corresponding application exists in the terminal, multimedia data is displayed using the same, or if it does not exist in the terminal, the corresponding application is downloaded using the locator DS 410.

In addition, the number of application(browser) included in the application  
25 DS is one or more than one. If the number of application is plural, an user-preferred application is employed using the weight DS 409 which is learned based

on user preference for each application.

Figure 5 is a view illustrating a description scheme of a browsing method or criterion in an user profile information data structure as shown in Figure 3 or Figure 4 according to a first embodiment of the present invention.

5       The structure of Figure 5 is a function description scheme structure for indexing and displaying a corresponding multimedia data based on character/relation, and includes a basic key item 501 and an order of key item 502.

10       The basic key item describes browsing on the basis of character and relation 503 and 504. Figure 6 illustrates an example of a browsing according to such a scheme structure.

As shown in a video browser(user interface) of Figure 6, a character screen unit 602 of a character relational screen unit 601 displays characters, and a character-relation screen unit 603 displays character-relation satisfying a relation which is selected here.

15       In addition, a main scene screen unit 604 displays main scenes satisfying the corresponding relation in key frames 604a. Here, it is shown that a main screen unit 605 displays a selected particular scene in more detail.

20       Figure 7 is a view illustrating a description scheme of a browsing method or criterion in an user profile information data as shown in Figure 3 or Figure 4 according to a second embodiment of the present invention.

The structure of Figure 7 is a function description scheme structure for displaying a corresponding multimedia data using a 3-level tree in time sequential key frames, and includes a basic key item 701 and an order of key item 702.

25       The basic key item describes browsing on the basis of key frames, and the order of key item 702 describes time sequential browsing, and describes that the basic key item has a hierarchical structure(depth of key item, level 1=3...).

Figure 8 is a view illustrating an example of an interface of a browser using the function description scheme structure of Figure 7.

As shown in a video browser(user interface) of Figure 8, a key frame unit 601 displays multimedia contents in key frames in a time sequence, and a main screen unit 802 displays a section which is selected here and is represented by key frames.

According to the user profile information data structure and browsing method using the same of the present invention, while implementing content-based moving picture indexing and browsing, an user-preferred browsing method(application) can be provided by each corresponding multimedia data.

Therefore, with respect to a multimedia data selected by the user, the user-preferred browser(application) can display the corresponding multimedia data.

In addition, in the present invention, since the corresponding multimedia data is indexed and browsed by a browser which is close or identical to the user-preferred browsing method(application), an user-friendly and user-adaptive indexing and browsing environment can be provided when multimedia data is indexed and browsed based on contents.

As the present invention may be embodied in several forms without departing from the spirit or essential characteristics thereof, it should also be understood that the above-described embodiments are not limited by any of the details of the foregoing description, unless otherwise specified, but rather should be construed broadly within its spirit and scope as defined in the appended claims, and therefore all changes and modifications that fall within the meets and bounds of the claims, or equivalence of such meets and bounds are therefore intended to be embraced by the appended claims.



What is claimed is:

1. In a content-based multimedia data browsing, an user profile information data structure comprises an user-preferred application description  
5 scheme for browsing in an user profile in order to provide an user-preferred multimedia browsing method.

2. The user profile information data structure of claim 1, wherein the user-preferred application description scheme stored in the user profile is an  
10 application ID, or application locator.

3. The user profile information data structure of claim 2, wherein the application description scheme stored in the user profile further comprises a layout description scheme of applications.  
15

4. The user profile information data structure of claim 1, wherein the number of user-preferred application description schemes stored in the user profile may be plural, and each of the application description schemes further comprises a weight for describing user preference.  
20

5. The user profile information data structure of claim 1 or 4, wherein the user-preferred application description scheme stored in the user profile may be a plurality of application description schemes which are different from one another according to the type(genre) of a multimedia data object, and each of the plurality  
25 of application description schemes further comprises a weight describing user

preference corresponding to an user feedback.

6. The user profile information data structure of claim 5, wherein each of the user-preferred application description schemes is structured hierarchically, and each part of the description schemes has a weight describing user preference.

7. In content-based multimedia data browsing, a multimedia data browsing method, characterized in that:

(a) multimedia data contains a contents description scheme used in indexing/browsing multimedia data;

(b) an user profile includes an user preference description scheme indicating an user-preferred multimedia browsing method or browsing criterion for user-preferred browsing; and

(c) multimedia data is browsed by analyzing the user-preferred application description scheme for user-preferred browsing in a corresponding user profile, if the user desires multimedia browsing.

8. The method of claim 7, wherein the user-preferred multimedia data browsing method or browsing criterion are described differently according to the type or genre of multimedia data, and the multimedia data is browsed according to the corresponding description scheme indicating each user-preferred browsing method or browsing criterion.

9. The method of claim 7 or 8, wherein the user-preferred multimedia

browsing method or browsing criterion is represented as a character-oriented browsing, character/place relation-oriented browsing, time sequential and scene-oriented browsing, or combination thereof.

5           10.     The method of claim 8, wherein the number of browsing methods or browsing criteria described differently according to the type of multimedia data is at least more than one with respect to one type(genre) thereof, and weighted values can be added on each of the browsing methods or browsing criteria, thus analyzing the user-preferred application.

10           11.     The method of claim 7, wherein an application satisfying the user-preferred browsing method or browsing criterion is executed the locator description scheme of the corresponding application, in displaying the corresponding multimedia data.

15           12.     The method of claim 11, wherein, if the proper application for browsing does not exist in the terminal, the corresponding application is downloaded using the locator description scheme.


20

## ABSTRACT OF THE DISCLOSURE

The present invention relates to an user profile information data structure for browsing of multimedia data and a multimedia browsing method using the same.

The multimedia data browsing method is characterized in that: (a) multimedia data contains a contents description scheme for indexing/browsing based on contents; (b) an user profile includes an user preference description scheme indicating an user-preferred multimedia browsing method or browsing criterion; and (c) multimedia data is browsed by analyzing the user-preferred application description scheme for user-preferred browsing in a corresponding user profile, if the user desires multimedia browsing.

FIG. 1



007.650 27043950

FIG. 2




[illegible]

FIG. 3



004650 2/2/99

FIG. 4



004.000 2029960



FIG. 5

Functionality

501 — <Basic Key Item>

503 — <Key-Item 1>="Character" </Key-Item 1>

504 — <Key-Item 2>="Relation between Key-Item 1" </Key-Item 1>

</Basic Key Item>

502 — <Order of Key Item>

<Key-Item 1>="priority" </Key-Item 1>

<Key-Item 2>="priority" </Key-Item 1>

</Order of Key Item>

001260 204940





FIG. 6


09667072 092100

FIG. 7



001000 22029900

FIG. 8



09/21/2007 08:32:40

Docket No. \_\_\_\_\_

**DECLARATION AND POWER OF ATTORNEY**

As a below named inventor, I hereby declare that:

My residence, post office and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter claimed and for which a patent is sought on the invention entitled **USER PROFILE INFORMATION DATA STRUCTURE BASED ON USER PREFERENCE AND MULTIMEDIA DATA BROWSING SYSTEM USING THE SAME**, the specification of which

☒ is attached hereto ☐ was filed on \_\_\_\_\_ as Application Serial No. \_\_\_\_\_ and was \_\_\_\_\_ (if applicable) amended on \_\_\_\_\_ (if applicable)

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is known to me to be material to patentability in accordance with Title 37, Code of Fed Regulations, Section 1.56(a).

I hereby claim foreign priority benefits under 35 U.S.C. 119(a)-(d) or 365 (b) of any foreign application(s) for patent or inventor's certificate, or 365(a) of any PCT international application which designated at least one country other than the United States of America, listed below and have also identified below, by checking the box, any foreign application for patent or inventor's certificate, or of any PCT international application having a filing date before that of the application on which priority is claimed.

Prior Foreign Application(s):

Number

Country

Foreign Filing Date

Month/Day/Year

1137/1999

Korea

02/22/1999

I hereby claim the benefit under 35 U.S.C. 119(e) of any United States provisional application(s) listed below.

Application Number(s):

Filing Date (Month/Day/Year)

I hereby claim the benefit under 35 U.S.C. 120 of any United States application(s), or 365(c) of any PCT international application designating the United States of America, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT international application in the manner provided by the first paragraph of 35 U.S.C. 112, I acknowledge the duty to disclose information which is material to patentability as defined in 37 CFR 1.56 which became available between the filing date of the prior application and the national or PCT international filing date of this application.

Prior U. S. Application  
or PCT Parent Number

Filing Date (Month/Day/Year)

Parent Patent Num.


(if applicable)

I hereby appoint the following attorney(s) and/or agent(s): Daniel Y.J. Kim, Registration No. 36,186 and Mark L. Fleshner, Registration No. 34,596; Carl R. Wesolowski, Registration No. 40,372, John C. Eisenhart, Registration No. 38,128, Rene A. Vazquez, Registration No. 38,647; Michael J. Cornelison, Registration No. 40,395; and Stuart I. Smith, Registration No. 42,159; and Carol L. Druzbeck, Registration No. 40,287, all of

FLESHNER & KIM  
P. O. Box 221200  
Chantilly, Virginia 20153-1200

with full power of substitution and revocation, to prosecute this application and to transact all business in the Patent and Trademark Office connected therewith, and all future correspondence should be addressed to them.

\*\*\*\*\*  
Full name of sole or first inventor: Jin Soo LEE

Inventor's signature: 


Date: 9/19/2000

Residence: Seoul, Korea

Citizenship: Republic of Korea

Post Office Address: Samik Apt. 101-80, 573, Macheon 2-Dong, Songpa-Ku, Seoul, Korea  
\*\*\*\*\*

Full name of joint inventor(s): Kyoung Ro YOON

Inventor's signature: 

Date: 9/19/2000

Residence: Seoul, Korea

Citizenship: Republic of Korea

Post Office Address: Yeoksam MBC Apt. 3-1205, Dogok 1-Dong, Kangnam-Ku, Seoul, Korea  
\*\*\*\*\*

Full name of joint inventor(s):

Inventor's signature:

Date:

Residence:

Citizenship:

Post Office Address: